

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
19 June 2003 (19.06.2003)

PCT

(10) International Publication Number  
**WO 03/049622 A2**

(51) International Patent Classification<sup>7</sup>: **A61B 17/04**

(21) International Application Number: **PCT/US02/39155**

(22) International Filing Date: 6 December 2002 (06.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
10/013,584 7 December 2001 (07.12.2001) US

(71) Applicant: **ABBOTT LABORATORIES** [US/US];  
D-377 AP6A-1, 100 Abbott Park Road, Abbott Park, IL  
60064-6008 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors: **GROSS, T., Daniel**; 200 Kimble Ave, Los Gatos, CA 95030 (US). **HAMMERSMARK, Dan, J.**; 211 West 41 Ave, San Mateo, CA 94403 (US).


**Published:**

— without international search report and to be republished upon receipt of that report

(74) Agents: **TWAROWSKI, Joseph, A. et al.**; D-377 AP6A-1, 100 Abbott Park Road, Abbott Park, IL 60064-6008 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **HEMOSTATIC AGENT DELIVERY SYSTEM**



(57) Abstract: A hemostatic agent delivery system, comprising: a suture, pledget or introducer sheath coated or impregnated with a hemostatic agent. A hemostatic agent delivery system, comprising: an introducer sheath; a flow blocking system positioned at the distal end of a deployment device; and a hemostatic agent injection system. A hemostatic agent delivery system, comprising: an introducer sheath; and (a) a plug delivery shaft positionable within the introducer sheath, the plug delivery shaft dimensioned to push hemostatic material in the introducer sheath to a location adjacent to a vessel wall, or (b) a delivery sleeve receivable over the introducer sheath, delivery sheath dimensioned to push a cuff of hemostatic material to a location adjacent to a vessel wall. The hemostatic agent may comprises chitosan.

WO 03/049622 A2

5

## Hemostatic Agent Delivery System

### Technical Field

10       The present invention relates in general to systems for achieving hemostasis at a cut or puncture in a vessel, and in particular to systems for closing an opening in the wall of a femoral artery following a catheterization procedure..

### Background of the Invention

15

A number of diagnostic and interventional procedures require vascular access in which a catheter is introduced to the vascular system at a convenient access location and guided through the vascular system to a target location. When vascular access is no longer required, the catheter introducer sheath is removed and bleeding at the puncture site is stopped.

20       Typically, such interventional catheterization procedures are performed by inserting the catheter through a puncture into the patient's femoral artery. Following such catheterization procedures, it is then necessary to close the hole or puncture into the femoral artery.

Various methods exist for closing such a puncture in the femoral artery. The primary  
25       method is the use of direct compression over the puncture to provide hemostasis (i.e. cessation of bleeding) until the patient's natural healing mechanisms form a blood clot at the puncture. To attain hemostasis, direct compression may need to be applied for a time period ranging from 20 minutes to as long as 90 minutes. Following the formation of a blood clot, the patient may be required to remain immobile for as long as 24 hours. Unfortunately, since such direct  
30       compression procedures rely upon clot formation, delays may be encountered since anticoagulants used in the vascular therapy process may need to first wear off. A further disadvantage of direct compression techniques to achieve hemostasis is that they are uncomfortable for the patient. Yet another disadvantage of direct compression techniques to achieve hemostasis is that they may result in occlusion of the blood vessel, thereby resulting in  
35       ischemia or thrombosis.

5 Other methods to close the puncture involve the use of sutures, plugs, staples, or combinations of these techniques. Such mechanical closure usually involves expensive devices, with technical complexity and associated operational learning curves.

### Summary of the Invention

10

In various aspects, the present invention provides systems and methods for delivering a hemostatic agent to a cut or puncture at a vessel wall. A variety of delivery systems are contemplated, all keeping within the scope of the present invention.

15

In one aspect, the present invention provides a hemostatic agent delivery system comprising at least one suture carrying (e.g.: coated or impregnated with) a hemostatic agent. Preferably, the hemostatic agent comprises chitosan. Optionally, a tamper coated with a hemostatic agent may be used in association with the suture.

20

In another aspect, the present invention provides a hemostatic agent delivery system comprising a pledget which may be coated or impregnated with a hemostatic agent, and a system for positioning the pledget at the surface of a vessel. Again, the hemostatic agent preferably comprises chitosan.

25

In another aspect, the present invention provides a hemostatic agent delivery system comprising an introducer sheath coated with a hemostatic agent such as chitosan.

30

In another aspect, the present invention provides a hemostatic agent delivery system comprising an introducer sheath, an expandable diaphragm positioned at the distal end of a deployment device, and a hemostatic agent injection system adapted to deliver hemostatic agent through the introducer sheath. Preferably, the expandable diaphragm and deployment device are both dimensioned to be advanced through the introducer sheath. In optional aspects, the expandable diaphragm is inflatable and the deployment device may comprise an inflation tube. As an alternative to (or in addition to) an expandable diaphragm, an expandable balloon or anchor may also be used. In optional aspects, the hemostatic agent injection system comprises an injection syringe. Again, the hemostatic agent preferably comprises chitosan.

35

5 In another aspect, the present invention provides a hemostatic agent delivery system comprising an introducer sheath, and a plug delivery shaft which is slidably positionable within the introducer sheath, wherein the plug delivery shaft is dimensioned to push the plug of hemostatic material in the introducer sheath to a location adjacent to a vessel wall. The plug of hemostatic material preferably comprises a plug of chitosan, or a plug of bioabsorbable  
10 material coated or otherwise carrying chitosan. In optional aspects, the invention also comprises an arterial wall position detector based on tactile feedback or blood marking.

In another aspect, the present invention provides a hemostatic agent delivery system comprising an introducer sheath, and a delivery sleeve slidably receivable over the introducer  
15 sheath, wherein the delivery sleeve is dimensioned to push a cuff of hemostatic material received around the introducer sheath to a location adjacent to a vessel wall. Preferably, the cuff of hemostatic material comprises a cuff of chitosan, or a cuff of bioabsorbable material coated or otherwise carrying chitosan. In addition, the cuff is preferably sufficiently elastic such that it collapses inwardly sealing the passageway therethrough when the introducer sheath  
20 is removed therefrom.

In certain aspects of the invention, the hemostatic agent is also delivered along the subcutaneous tissue tract through which the vessel access sheath is placed. This is particularly advantageous in preventing "blood ooze" by sealing the minor blood vessels which may have  
25 been disrupted during dilation of the subcutaneous tissue.

#### **Brief Description of the Drawings**

Fig. 1 is an illustration of a suture closure according to an embodiment of the present invention.

30

Fig. 2 is an illustration of placement of a pledget according to an embodiment of the present invention.

Fig. 3 is an illustration similar to Fig. 1, but additionally showing a tamper used in  
35 association with the suture.

Fig. 4 is an illustration of an introducer sheath received into a patient's femoral artery,

5 the introducer sheath being coated with a hemostatic agent.

Figs. 5 to 7 illustrate successive steps in delivering a hemostatic agent to a vessel wall with an expandable diaphragm system, as follows:

10 Fig. 5 shows the expandable diaphragm being advanced through an introducer sheath.

Fig. 6A shows expansion of the diaphragm after it has been positioned intraluminally in the femoral artery. (Fig. 7A shows a system similar to that of Fig. 6A, but with an inflatable balloon substituted for the expandable diaphragm.)

15

Fig. 6B is an illustration of the delivery of the hemostatic agent to an area adjacent to the outer wall of a vessel after diaphragm has been expanded into position against the inner surface of the wall of the vessel. (Fig. 7B shows a system similar to that of Fig. 6B, but with an inflatable balloon substituted for the expandable diaphragm.)

20

Figs. 8 to 11 illustrate successive steps in operating a system for delivering a plug of hemostatic material to a location adjacent to an outer wall of a cut or punctured vessel, as follows.

25 Fig. 8 shows the plug of hemostatic material being advanced through an introducer sheath.

Fig. 9 shows the plug of hemostatic material reaching the location adjacent to the outer wall of the vessel.

30

Fig. 10 shows the introducer sheath removed.

Fig. 11 shows the delivery shaft removed.

35 Figs. 12 to 14 illustrate successive steps in operating a system for delivering a cuff of hemostatic material to a location adjacent to an outer wall of a cut or punctured vessel, as follows.

5           Fig. 12 shows the hemostatic material cuff positioned adjacent the outer wall of the vessel.

Fig. 13 shows the removal of the introducer sheath.

10           Fig. 14 shows the removal of the delivery sleeve.

Figs. 15 and 16 show another system of delivering a hemostatic agent to a location adjacent the outer surface of a vessel having a cut out puncture therethrough, as follows.

15           Fig. 15 is a perspective view of the distal end of the device.

Fig. 16 is a cross sectional elevation view of the device, showing its operation.

#### **Detailed Description of the Drawings**

20

The present invention provides a variety of novel systems for delivering suitable blood clotting or hemostatic agents to a location at, or near, the wall of an artery or other vessel having a cut or puncture therethrough. Accordingly, the present invention may complement any other existing cut, puncture, or wound closure system. The present invention is thus  
25 ideally suited to assist in sealing the hole in a femoral artery following a catheterization or anastomosis procedure.

The various aspects of the present invention provide systems which deliver the blood clotting or hemostatic agents to locations below the skin surface, thus achieving maximum  
30 hemostatic benefit at a location adjacent the cut or puncture through the vessel wall.

An advantage of the various embodiments of the present invention is that they serve to speed hemostasis during or after catheterization of a vessel. Thus, the need to apply direct compression and immobilize a patient for an extended period of time after catheterization is  
35 minimized, or eliminated.

A further advantage of the various embodiments of the present invention is that they

5 can be used to deliver a blood clotting or hemostatic agent to a surgical site on the outside of a vessel wall, while avoiding or preventing release of the blood clotting or hemostatic agent within the vessel.

A further advantage of the present invention is that it preferably uses "chitosan" which  
10 may be derived from "chitin". "Chitin" is a polysaccharide that forms the ecoskeletons of insects and crustaceans. "Chitosan" is derived from chitin by deacetylation (i.e. removal of the acetic acid radical  $\text{CH}_3\text{CO}-$ ). Chitosan has been found to offer excellent hemostatic benefits (i.e. assist in blood clot formation). It is believed clotting is assisted by the ionic interaction between the positively charged chitosan polymer and the negatively charged red blood cell  
15 membrane. An advantage of this is that such clotting mechanism operates independently of the normal blood coagulation cascade which results in fibrin formation. Thus, chitosan can advantageously be used in conjunction with blood treated with heparin (which inhibits fibrin formation). In addition, chitosan is biodegradable, with the advantage that it is eventually re-absorbed back into the body as a sugar.

20

It is to be understood that the hemostatic agent of the various embodiments may be in the form of a solid polymer, gel polymer or liquid. For example, when chitosan is used, it may be used in the form of a solid polymer, gel polymer or liquid.

25

It is to be understood, however, that although the most preferred aspects of the present invention use chitosan, the present invention is not so limited. Rather, any suitable hemostatic or blood clotting agent, including, but not limited to any form of chitin, can be used. In addition, other hemostatic materials such as fibrin and fibrinogen, may also be used instead of, or in addition to, the various presently contemplated chitins including chitosan.

30

A further advantage of embodiments of the present invention are that they may be used to percutaneously deliver the hemostatic or blood clotting agent to a location directly adjacent to the outer wall of the vessel. This is particularly advantageous in that the hemostatic agent is delivered to the exact location of the cut or puncture through the vessel wall.

35

A first aspect of the present invention is shown in Fig. 1 which illustrates a suture mediated closure.

5

A second aspect of the present invention is shown in Fig. 2 which illustrates placement of a medicated pledget.

Fig. 3 shows a tamper which is used in association with the knotted suture shown in  
10 either of Figs. 1 or 2.

A third aspect of the present invention is shown in Fig. 4 which illustrates an introducer sheath coated with a hemostatic agent received into a patient's femoral artery.

A fourth aspect of the present invention is shown in Figs. 5 to 7 which illustrate  
15 successive steps in delivering a hemostatic agent to a vessel wall with an expandable diaphragm system.

A fifth aspect of the present invention is shown in Figs. 8 to 11 which illustrate successive steps delivering a plug of hemostatic material to a location adjacent to an outer wall  
20 of a cut or punctured vessel.

A sixth aspect of the present invention is shown in Figs. 12 to 14 which illustrate successive steps in delivering a cuff of hemostatic material to a location adjacent to an outer wall of a cut or punctured vessel.

25

A seventh aspect of the present invention is shown in Figs. 15 and 16 which illustrate a device which delivering hemostatic material placed in holes around the distal end of the device.

Referring first to Fig. 1, a patient's femoral artery FA is shown in cross section passing  
30 beneath their skin S and subcutaneous tissue ST. Femoral artery FA has been accessed by way of a percutaneous surgical procedure which has resulted in an arterial access site passing through puncture P in the wall of the artery. For example, puncture P in the wall of femoral artery FA may have resulted from inserting a catheter along path PA, through puncture P, and into the interior of femoral artery FA.

35

The present invention provides a variety of different systems and methods for promoting hemostasis adjacent puncture P in femoral artery FA. It is to be understood,

5 however, that the present invention can be used to promote hemostasis adjacent any cut or puncture in the wall of any vessel, and that reference to puncture P through femoral artery FA is merely exemplary.

Moreover, the present systems can be used alone to percutaneously assist in sealing cuts or punctures in vessel walls, or can be used in conjunction with other vessel closure systems,  
10 such as suturing systems, collagen plug systems and the like.

Returning to Fig. 1, a first aspect of the present invention simply comprises puncture P being sutured closed by suture 10. Preferably, suture 10 will be coated or infused with a hemostatic agent such as chitosan. Suture 10 may be placed by any suture closure device, and  
15 may be knotted by any existing suture knotting system. As knot 12 will be tied outside of femoral artery FA, a greater length of suture will be disposed on the exterior surface of C. Thus, a greater amount of hemostatic agent will be disposed on the exterior of puncture P. An advantage of having only a minimal length of suture 10 disposed within femoral artery FA is that only minimal amounts of the hemostatic agent will be released / activated within the  
20 interior of the vessel.

Fig. 2 is similar to Fig. 1, but shows a second aspect of the invention in which a pledget 11 has been tied into place by suture 10. In this second aspect of the invention, pledget 11 is preferably coated, impregnated, or otherwise carrying a hemostatic agent, such as  
25 chitosan. (Suture 10 may, or may not be coated or impregnated with a hemostatic agent, such as chitosan as well).

Fig. 3 shows a tamper 15 which may optionally be used in either of the first (Fig. 1) or second (Fig. 2) aspects of the invention. Tamper 15 is preferably received over suture 10, and  
30 is advanced toward puncture P. In optional aspects, tamper 15 may also be coated with a hemostatic agent (such as chitosan). In these optional aspects, the tamper could be positioned such that it remains in place for a period of time subsequent to positioning over suture 10. After tamper 15 is removed, a layer of hemostatic agent would be shed from its surface, and deposited along path P, thereby promoting hemostasis along path P. This would  
35 advantageously inhibit blood ooze out through path PA to the patient's skin surface.

Fig. 4 shows a third aspect of the invention in which an introducer sheath 20 is percutaneously inserted into femoral artery FA. Introducer sheath 20 is coated with a

5 hemostatic agent such as chitosan. Introducer sheath 20 is preferably dimensioned such that various surgical instruments (such as a catheter system) can be passed therethrough. After the surgical procedure is completed, (e.g.: after a catheter placed into the femoral artery has been removed), introducer sheath 20 is also removed. The layer of hemostatic agent on the outer surface of introducer sheath 20 would be shed from its surface, and thus be deposited along  
10 path PA, thereby promoting hemostasis along path PA. This would advantageously inhibit blood ooze out through path PA to the patient's skin surface. Moreover, the layer of hemostatic agent on the outer surface of introducer sheath 20 would also reduce blood ooze around introducer sheath 20 during the surgical procedure.

15 Figs. 5, 6 and 7 show sequential steps in the operation of a fourth aspect of the present invention. An introducer sheath 30 is percutaneously introduced into femoral artery FA through puncture P. Introducer sheath 30 may preferably be dimensioned such that various surgical instruments (such as a catheter system) can be passed therethrough. After the surgical procedure is completed, (e.g.: after a catheter placed into the femoral artery has been  
20 removed), an expandable diaphragm 32 is then advanced therethrough. Expandable diaphragm 32 may preferably comprise a polymer membrane supported by superelastic hoop of nickel-titanium wire. Preferably, expandable diaphragm 32 is housed in a storage tube (not shown) prior to deployment. Alternatively, an inflatable balloon 35 (see figs. 7A and 7B) may instead be positioned intraluminally to temporarily occlude the puncture P using an inflation tube. In  
25 another alternative embodiment, an anchor, which may be biodegradable, can be provided in place of, or in addition to, diaphragm 30 or balloon 35.

As shown in Fig. 5, expandable diaphragm 32 is advanced through introducer 30 until it reaches the position shown in Fig. 6A. At this time, expandable diaphragm 32 may be  
30 deployed by advancing it distally from the storage tube and then pulled back slightly such that expandable diaphragm 32 is positioned tightly against the inner surface of the arterial wall at puncture P as shown in Fig. 6B. Then, a hemostatic agent (for example, chitosan in liquid or gel form) can be injected by syringe 36 through path PA such that it collects or pools adjacent the exterior surface of the arterial wall at puncture P. As can be seen in Fig. 6B, the presence  
35 of expandable diaphragm 32 prevents the hemostatic agent from entering into femoral artery FA. After the hemostatic agent has been delivered, expandable diaphragm 32 can then be collapsed by drawing it proximally back into the storage tube and then removed from patient.

5

Figs. 7A and 7B illustrate a system similar to Figs. 6A and 6B, but instead introduce an inflatable balloon 35. As shown in Fig. 7A, balloon 35 is first advanced through introducer 30 into femoral artery FA. As shown in Fig. 7B, balloon 35 is then inflated and pulled back against the arterial wall at puncture P. Thus, balloon 35 operates to prevent a hemostatic agent (injected by syringe 36) from entering into femoral artery FA. Thus, balloon 35 operates in the same manner as expandable diaphragm 32 of Figs. 6A and 6B.

Figs. 8, 9, 10 and 11 show sequential steps in the operation of a fifth aspect of the present invention. An introducer sheath 40 is percutaneously introduced into femoral artery FA through puncture P. Introducer sheath 40 may preferably be dimensioned such that various surgical instruments (such as a catheter system) can be passed therethrough. After the surgical procedure is completed, (e.g.: after a catheter placed into the femoral artery has been removed), a plug 42 of hemostatic agent is then pushed distally through introducer sheath 40 by a plug delivery shaft 44. In various aspects, plug 42 may comprise a plug of chitosan or a plug of bioabsorbable material coated or impregnated or otherwise carrying, chitosan. An advantage of using plug 42 is that it will assist in plugging or sealing path PA by its physical size (in addition to promoting hemostasis by its chemical composition).

As shown in Fig. 9, plug 42 is preferably advanced to a location adjacent the outer surface of the arterial wall at puncture P. Such positioning is preferably assisted by a blood marking technique, or other depth gauge method determined using the initial arterial access needle and the introducer sheath.

As shown in Fig. 10, introducer sheath 40 may then be removed. Thereafter, as shown in Fig. 11, plug delivery shaft 44 may also be removed. With the removal of delivery shaft 44, path PA will also start to collapse.

Figs. 12, 13 and 14 show sequential steps in the operation of a sixth aspect of the present invention. An introducer sheath 50 is percutaneously introduced into femoral artery FA through puncture P. Introducer sheath 50 may preferably be dimensioned such that various surgical instruments (such as a catheter system) can be passed therethrough. After the surgical procedure is completed, (e.g.: after a catheter placed into the femoral artery has been removed), a cuff 52 of hemostatic agent is then pushed distally along the exterior of introducer

5 sheath 40 by the distal end of a cuff delivery sleeve 54. In various aspects, cuff 52 may comprise a cuff of chitosan or a plug of bioabsorbable material coated with chitosan.

As shown in Fig. 13, introducer sheath 50 is then removed. Preferably, cuff 52 comprises a sufficiently elastic material such that it collapses when introducer sheath 50 has  
10 been removed. By collapsing, cuff 52 will assist in sealing path P, thereby preventing blood ooze up through path P, exiting through the patient's skin S. Lastly, as shown in Fig. 14, cuff delivery sleeve 54 is then removed, with path PA collapsing.

Figs. 15 and 16 show alternate views of a seventh aspect of the present invention, as  
15 follows. Fig. 15 shows the distal end of a device 60 having a central bore 62, permitting catheter or other surgical access therethrough. A plurality of openings 64 pass outwardly from central bore 62 to the outer surface of device 60. Openings 64 may be disposed at any number of locations radially disposed around device 60.

20 As shown in Fig. 16, device 60 may be percutaneously inserted through a patient's skin S such that its distal end passes through puncture P and into femoral artery FA. Immediately when the distal end of device 60 enters femoral artery 60, blood will start to flow upwardly and start to exit from the proximal end of device 60. At this time, a cover 66 will be placed over the proximal end of device 60. Cover 66 may comprise any suitable closure system,  
25 including the thumb or finger of the operator. Concentrations of hemostatic agent 65 are stored in granular, pellet or gel form in openings 64. As soon as covering 66 is in place at the distal end of device 60, the pressure of the blood in femoral artery FA will cause the pressure within central bore 62 to increase. Thus, the concentrations of hemostatic agent 65 which are stored in granular, pellet or gel form in openings 64 will be forced outwardly in directions D.  
30 As can be seen, this will result in the hemostatic agent being disposed at locations which are adjacent to puncture P in the femoral artery. Moreover, as openings 64 are disposed some distance from the distal end of device 60, this will ensure that the concentrations of hemostatic agent 65 are delivered at locations which are exterior to femoral artery FA.

35 As stated herein, a preferred hemostatic agent for use in the various aspects of the present invention comprises chitin or chitosan. Although it is not so limited, the present invention comprises chitin or chitosan having any of the compositions as set forth in the

5 following PCT publications by Struzczyk: WO/0187988, WO/0130855, WO/0119187,  
WO/0024785, WO/9834625, WO/9409192, WO/9406484, and WO/9403062. The present  
invention also comprises chitin or chitosan having any of the compositions as set forth in the  
following domestic and foreign patents and publications: US Patents 5,360,415; 5,204,107;  
4,704,268; 4,699,135; 4,655,211; 4,651,725; 4,575,519; and 4,394,373; Japanese Patents  
10 JP63090507, JP60215003, and JP62167331, Norwegian Patent NO20013071, Australian  
Patent AU2591900, and PCT Publication WO0036918.

5

5

**What is claimed is:**

1. A hemostatic agent delivery system, comprising:  
at least one suture coated with a hemostatic agent.
- 10 2. The system of claim 1, wherein the hemostatic agent comprises chitosan.
3. A hemostatic agent delivery system, comprising:  
a pledget carrying a hemostatic agent; and  
15 a device for positioning the pledget at the surface of a vessel.
4. The system of claim 3, wherein the hemostatic agent comprises chitosan.
5. The system of claim 3, wherein the system for positioning the pledget at the surface of  
20 the vessel comprises:  
at least one suture.
6. A hemostatic agent delivery system, comprising:  
an introducer sheath coated with a hemostatic agent.
- 25 7. The system of claim 6, wherein the hemostatic agent is chitosan.
8. The system of claim 6, wherein the introducer sheath is dimensioned to receive a  
suturing device therethrough.
- 30 9. The system of claim 6, wherein the hemostatic agent is releasably disposed on the  
introducer sheath.
10. A hemostatic agent delivery system, comprising:  
an introducer sheath;  
35 a flow blocking system positioned at the distal end of a deployment device, the flow  
blocking system and deployment device both being dimensioned to be advanced through the

- 5 introducer sheath; and  
a hemostatic agent injection system adapted to deliver hemostatic agent through the  
introducer sheath.
11. The system of claim 10, wherein the flow blocking system comprises an expandable  
10 diaphragm.
12. The system of claim 11, wherein the diaphragm is an expandable polymer membrane  
supported by a superelastic hoop.
13. The system of claim 12, further comprising:  
15 a storage tube deployment device.
14. The system of claim 10, wherein the flow blocking system comprises an inflatable  
balloon.
15. The system of claim 10, wherein the flow blocking system comprises a collagen plug.
16. The system of claim 10, wherein the hemostatic agent injection system comprises an  
injection syringe.
17. The system of claim 10, wherein the hemostatic agent comprises chitosan.
18. The system of claim 10, wherein the introducer sheath is dimensioned to receive a  
suturing device therethrough.
19. A hemostatic agent delivery system, comprising:  
an introducer sheath; and  
a plug delivery shaft which is slidably positionable within the introducer sheath, the  
plug delivery shaft being dimensioned to push a plug of hemostatic material in the introducer  
35 sheath to a location adjacent to a vessel wall.
20. The system of claim 19, wherein the plug of hemostatic material comprises a plug of

5 chitosan.

21. The system of claim 19, wherein the plug of hemostatic material comprises a plug of bioabsorbable material carrying chitosan.

10 22. A hemostatic agent delivery system, comprising:  
an introducer sheath; and  
a delivery sleeve slidably receivable over the introducer sheath, delivery sleeve being dimensioned to push a cuff of hemostatic material received around the introducer sheath to a location adjacent to a vessel wall.

15 23. The system of claim 22, wherein the cuff of hemostatic material comprises a cuff of chitosan.

20 24. The system of claim 22, wherein the cuff of hemostatic material comprises a cuff of bioabsorbable material carrying chitosan.

25 25. The system of claim 22, wherein the cuff is sufficiently elastic to collapse inwardly when the introducer sheath is removed therefrom.

26. The system of claim 22, further comprising a hemostatic agent cuff disposed around the introducer sheath, wherein the delivery sleeve is positioned to abut a proximal end of the hemostatic agent cuff.

30 27. The system of claim 26, wherein the delivery sleeve holds the hemostatic agent cuff in position when the introducer sheath has been removed.

28. A hemostatic agent delivery system, comprising:  
a tubular member having a longitudinal passageway therethrough, wherein the tubular member has at least one opening passing from the longitudinal passageway to the exterior surface of the device, and wherein the at least one opening is disposed near the distal end of the device.

5

29. The system of claim 28, further comprising:  
hemostatic material disposed in the at least one opening.

30. The system of claim 29, wherein the hemostatic material comprises chitosan.

10

31. The system of claim 28, wherein the at least one opening comprises a plurality of  
openings disposed radially around the device.

32. The system of claim 28, further comprising:

15 a closure device positioned near the a proximal end of the device for selectively sealing  
the longitudinal passageway.

33. A method of delivering a hemostatic agent at a location adjacent a cut or puncture

20 through a vessel wall, comprising:

percutaneously inserting an introducer sheath into the vessel;

advancing a fluid blocking system through the introducer sheath and into the vessel;

deploying the fluid blocking system;

positioning the fluid blocking system adjacent to an inner surface of the cut or puncture

25 through the vessel wall;

injecting the hemostatic agent through the introducer sheath such that the hemostatic  
agent is disposed at a location adjacent an outer surface of the cut or puncture through the  
vessel wall.

30 34. The method of claim 33, wherein the fluid blocking system comprises an expandable  
diaphragm.

35. The method of claim 33, wherein the fluid blocking system comprises an inflatable  
balloon.

35

36. The method of claim 33, wherein the fluid blocking system comprises a collagen plug.

- 5 37. The method of claim 34, wherein the expandable diaphragm is advanced through the introducer sheath on the distal end of an inflation tube.
38. The method of claim 33, wherein the hemostatic agent comprises chitosan.
- 10 39. The method of claim 34, wherein the expandable diaphragm comprises an expandable polymer membrane supported by a superelastic hoop.
40. The method of claim 33, further comprising :  
suturing closed the cut or puncture with a suturing device.
- 15 41. A method of assisting hemostasis at an arteriotomy in an arterial wall of a patient, the method comprising:  
delivering chitosan into a subcutaneous tissue tract to a location adjacent the arteriotomy.
- 20 42. The method of claim 41, wherein the location adjacent the arteriotomy is at the arterial wall.
43. The method of claim 42, wherein the chitosan is carried by a pledget.
- 25 44. The method of claim 42, wherein the chitosan is carried by a collagen plug.
45. The method of claim 41, wherein the chitosan is carried by a suture.
46. The method of claim 41, wherein the chitosan is delivered by being shed from an outer  
30 surface of an introducer.
47. The method of claim 41, wherein the chitosan is delivered by injection after a puncture in the arterial wall has been sealed by a blocking device.
- 35 48. The method of claim 47, wherein sealing the arterial wall with the blocking device comprises:  
expanding a diaphragm positioned adjacent to the arterial wall.

5

49. The method of claim 47, wherein sealing the arterial wall with the blocking device comprises:

inflating a balloon positioned adjacent to the arterial wall.

10

50. The method of claim 42, wherein a plug of the chitosan is introduced distally through an introducer.

51. The method of claim 42, wherein a cuff of the chitosan is introduced distally around an outer perimeter of an introducer.

15

52. The method of claim 42, wherein the chitosan is delivered by percutaneously inserting a tubular device having a longitudinal passageway extending therethrough into a patient such that a distal end of the device passes through a wall of the vessel, the tubular device having at least one opening passing from the longitudinal passageway to an external surface of the device, the

20

at least one opening having a concentration of hemostatic material disposed therein; and

sealing the longitudinal passageway such that pressure in the vessel pushes the concentration of hemostatic material outwardly through the at least one opening to the location adjacent the cut or puncture through the vessel wall.

1/10




FIG. 1




FIG. 2

2/10




FIG.3




FIG.4

3/10




FIG. 5





FIG. 6A



5/10




FIG. 7A




FIG. 7B

6/10




FIG. 8






FIG. 9

7/10



8/10




FIG. 12






FIG. 13

9/10





(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
19 June 2003 (19.06.2003)

PCT

(10) International Publication Number  
**WO 03/049622 A3**

(51) International Patent Classification<sup>7</sup>: **A61B 17/00**,  
17/06, 17/34

(21) International Application Number: PCT/US02/39155

(22) International Filing Date: 6 December 2002 (06.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
10/013,584 7 December 2001 (07.12.2001) US

(71) Applicant: **ABBOTT LABORATORIES** [US/US];  
D-377 AP6A-1, 100 Abbott Park Road, Abbott Park, IL  
60064-6008 (US).

(72) Inventors: **GROSS, T., Daniel**; 200 Kimble Ave, Los  
Gatos, CA 95030 (US). **HAMMERSMARK, Dan, J.**; 211  
West 41 Ave, San Mateo, CA 94403 (US).

(74) Agents: **TWAROWSKI, Joseph, A.** et al.; D-377  
AP6A-1, 100 Abbott Park Road, Abbott Park, IL  
60064-6008 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE,  
SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ,  
VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK,  
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).


**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

(88) Date of publication of the international search report:  
23 October 2003

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

(54) Title: HEMOSTATIC AGENT DELIVERY SYSTEM



(57) Abstract: A hemostatic agent delivery system, comprising: a suture, pledget or introducer sheath coated or impregnated with a hemostatic agent. A hemostatic agent delivery system, comprising: an introducer sheath; a flow blocking system positioned at the distal end of a deployment device; and a hemostatic agent injection system. A hemostatic agent delivery system, comprising: an introducer sheath; and (a) a plug delivery shaft positionable within the introducer sheath, the plug delivery shaft dimensioned to push hemostatic material in the introducer sheath to a location adjacent to a vessel wall, or (b) a delivery sleeve receivable over the introducer sheath, delivery sheath dimensioned to push a cuff of hemostatic material to a location adjacent to a vessel wall. The hemostatic agent may comprises chitosan.

WO 03/049622 A3

# INTERNATIONAL SEARCH REPORT

A. CLASSIFICATION OF SUBJECT MATTER  
 IPC 7 A61B17/00 A61B17/06 A61B17/34

International Application No.  
 PCT/US 02/39155

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
 IPC 7 A61B A61L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)  
 EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 486 294 A (IOLAB CORP) 20 May 1992 (1992-05-20) page 2, line 44 - line 48	1,2
X	EP 0 267 015 A (ETHICON INC) 11 May 1988 (1988-05-11) page 3, line 37; claim 9	1,2
X	US 5 717 030 A (URHEIM JOHN E ET AL) 10 February 1998 (1998-02-10) column 4, line 27 - line 28 column 5, line 34 column 7, line 19	1,2
X	US 5 531 759 A (KENSEY KENNETH ET AL) 2 July 1996 (1996-07-02) column 9, line 13 - line 18	1,2
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search  
 20 August 2003

Name and mailing address of the ISA  
 European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Date of mailing of the international search report  
 02/09/2003

Authorized officer  
 Hamann, J

BEST AVAILABLE COPY

## INTERNATIONAL SEARCH REPORT

Internat Application No

PCT/US 02/39155

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 326 350 A (LI SHU-TUNG) 5 July 1994 (1994-07-05) column 2, line 51 - line 59 column 7, line 64 -column 8, line 6 ---	
A	US 5 578 073 A (FREEMAN AMIHAY ET AL) 26 November 1996 (1996-11-26) column 2, line 20 - line 42 ---	
A	US 4 373 519 A (ERREDE LOUIS A ET AL) 15 February 1983 (1983-02-15) column 5, line 38 - line 39 -----	

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 02/39155

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 33-52  
because they relate to subject matter not required to be searched by this Authority, namely:  
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by surgery
2. ☒ Claims Nos.: 3-32  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

## FURTHER INFORMATION CONTINUED FROM PCT/SA/ 210

Continuation of Box I.2

Claims Nos.: 3-32

In view of the large number and also the wording of the claims presently on file, which render it difficult, if not impossible, to determine the matter for which protection is sought, the present application fails to comply with the clarity and conciseness requirements of Article 6 PCT (see also Rule 6.1(a) PCT) to such an extent that a meaningful search is impossible. Consequently, the search has been carried out for one part of the application which, when it is considered separately from the other parts, does appear to be clear (and concise), namely claims 1-2.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 02/39155

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0486294	A	20-05-1992	AU 8787591 A	21-05-1992
			EP 0486294 A2	20-05-1992
			JP 4275346 A	30-09-1992
			MX 9102053 A1	08-07-1992
			NZ 240451 A	26-03-1993
EP 0267015	A	11-05-1988	US 4717717 A	05-01-1988
			AT 80042 T	15-09-1992
			AU 614941 B2	19-09-1991
			AU 8064187 A	12-05-1988
			CA 1322328 C	21-09-1993
			DE 3781509 D1	08-10-1992
			DE 3781509 T2	07-01-1993
			DK 579787 A	06-05-1988
			EP 0267015 A2	11-05-1988
			ES 2044952 T3	16-01-1994
			GR 871700 A1	04-03-1988
			JP 63152324 A	24-06-1988
			JP 2942227 B2	30-08-1999
			JP 10167980 A	23-06-1998
			JP 2988925 B2	13-12-1999
			JP 11255663 A	21-09-1999
			MX 171861 B	22-11-1993
			NZ 222413 A	25-06-1991
			NZ 235556 A	25-06-1991
			PT 86075 A , B	01-12-1987
			SG 104292 G	24-12-1992
			IN 165249 A1	09-09-1989
			ZA 8708283 A	28-06-1989
US 5717030	A	10-02-1998	AT 241394 T	15-06-2003
			AU 1999995 A	10-11-1995
			CA 2187355 A1	26-10-1995
			DE 69530919 D1	03-07-2003
			EP 0754064 A1	22-01-1997
			JP 9511666 T	25-11-1997
			WO 9528124 A2	26-10-1995
			US 5707647 A	13-01-1998
US 5531759	A	02-07-1996	AU 2462095 A	29-11-1995
			CA 2188751 A1	09-11-1995
			EP 0759725 A1	05-03-1997
			JP 9512461 T	16-12-1997
			WO 9529635 A1	09-11-1995
			US 5545178 A	13-08-1996
US 5326350	A	05-07-1994	WO 9525481 A1	28-09-1995
			US 5571181 A	05-11-1996
			US 6350274 B1	26-02-2002
			EP 0751750 A1	08-01-1997
			JP 9510386 T	21-10-1997
US 5578073	A	26-11-1996	NONE	
US 4373519	A	15-02-1983	AU 564226 B2	06-08-1987
			AU 8534182 A	06-01-1983
			CA 1192492 A1	27-08-1985
			DE 3262038 D1	07-03-1985

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 02/39155

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4373519	A	EP 0068777 A2	05-01-1983
		ES 8308487 A1	01-12-1983
		JP 1634480 C	20-01-1992
		JP 2060338 B	17-12-1990
		JP 58007251 A	17-01-1983
		US 4460642 A	17-07-1984
		US 4565663 A	21-01-1986

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IE 02/00118

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A61B17/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	ZA 200 100 527 A (MORRIS SEAN; ANTHONY THOMAS; COLEMAN JAMES E; CUMMINS CHRISTY; MARTIN C) 19 January 2001 (2001-01-19) cited in the application claim 1	1-8
Y	US 5 352 229 A (LUMAN DAVID P ET AL) 4 October 1994 (1994-10-04) column 5, line 55 - line 65; figures 2,3	1-8
A	US 4 278 091 A (BORZONE ROCCO R) 14 July 1981 (1981-07-14) column 3, line 6 - line 23; figures 1,2	1
A	WO 00 56227 A (KEREN DVIR ; KILEMNIK IDO (IL); LOSHAKOVE AMIR (IL); BY PASS INC (U) 28 September 2000 (2000-09-28) abstract; figures 1,3	1



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \* & \* document member of the same patent family

Date of the actual completion of the international search

28 October 2002

Date of mailing of the international search report

05/11/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Mayer, E

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/IE 02/00118

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 9  
because they relate to subject matter not required to be searched by this Authority, namely:  
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by surgery
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IE 02/00118

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
ZA 200100527	A	19-01-2001	AU 8800601 A	22-03-2002
			AU 8800801 A	22-03-2002
			AU 8800901 A	22-03-2002
			WO 0219915 A1	14-03-2002
			WO 0219920 A1	14-03-2002
			WO 0219922 A1	14-03-2002
			US 2002047035 A1	25-04-2002
			US 2002049456 A1	25-04-2002
			US 2002049472 A1	25-04-2002
US 5352229	A	04-10-1994	AU 6197294 A	17-11-1994
			CA 2122947 A1	13-11-1994
			EP 0624350 A2	17-11-1994
			JP 6327697 A	29-11-1994
US 4278091	A	14-07-1981	CA 1156898 A1	15-11-1983
			DE 3166658 D1	22-11-1984
			EP 0033641 A2	12-08-1981
			IE 50713 B1	25-06-1986
			JP 1403435 C	09-10-1987
			JP 56119240 A	18-09-1981
			JP 62008175 B	21-02-1987
WO 0056227	A	28-09-2000	AU 1583500 A	09-10-2000
			AU 3313600 A	09-10-2000
			AU 3313800 A	09-10-2000
			AU 7552500 A	18-06-2001
			AU 7552700 A	18-06-2001
			BR 0009172 A	18-12-2001
			BR 0016247 A	27-08-2002
			CN 1353594 T	12-06-2002
			EP 1171044 A1	16-01-2002
			EP 1237485 A2	11-09-2002
			WO 0056227 A1	28-09-2000
			WO 0056228 A1	28-09-2000
			WO 0141623 A2	14-06-2001
			WO 0141624 A2	14-06-2001
			AU 1583100 A	09-10-2000
			AU 4056499 A	20-12-1999
			BR 9917217 A	26-02-2002
			CN 1352539 T	05-06-2002
			EP 1085837 A1	28-03-2001
			EP 1171042 A1	16-01-2002
			WO 0056226 A1	28-09-2000
			WO 0056223 A1	28-09-2000
			AU 3953599 A	20-12-1999
			CA 2333010 A1	09-12-1999
			EP 1083835 A1	21-03-2001
			JP 2002516696 T	11-06-2002

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record.**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**